

HAILATABLE FOR CHATGPT

Plugin and MCP Complete Guide

How the HailaTable plugin works, how to use all 13 tools, and who should use the MCP URL

13	<code>high-level tools</code>
LIVE	<code>public MCP endpoint</code>
SAFE	<code>read-only discovery and confirmed handoffs</code>

Version 0.1 - Developer Preview

1. Executive summary

The HailaTable ChatGPT plugin gives ChatGPT a controlled connection to HailaTable's public hospitality data. A user can ask in ordinary language to find venues, live tables, local events, HailaDay ideas or hospitality jobs. ChatGPT selects one or more of the 13 tools, sends only the structured inputs that tool needs, and receives a filtered result with HailaTable links.

The key idea

There is one shared HailaTable plugin. Individual restaurants do not need to create their own plugins or MCP URLs. A venue becomes eligible for search by publishing its own AI Discoverability profile inside HailaTable.

What is live now

- Production MCP endpoint: <https://hailatable.com/functions/mcp>.
- 13 high-level tools covering discovery, live hospitality data, planning, jobs and safe account-action handoffs.
- Search and fetch compatibility for citation-capable ChatGPT research workflows.
- A plugin skill that tells ChatGPT how to use HailaTable accurately and safely.
- Rate limiting, strict schemas, privacy filtering, canonical venue links and prompt-injection defenses.
- Five positive and three negative evaluation cases for developer testing and submission evidence.

Current release boundary

Version 0.1 is an anonymous, read-only developer preview. Public discovery works without a HailaTable login. Bookings, Hail me a Table requests, LinkedIn publishing and venue-management changes return a handoff link marked **completed: false**. The user must sign in to HailaTable, pass permission checks, review the details and confirm the action.

No false completion

The plugin must never say a booking, post or venue action is complete when it has only returned a handoff link. Direct private and write actions should not be enabled until OAuth 2.1 account linking is implemented and tested.

2. Contents and system map

1	Executive summary
2	Contents and system map
3	Who should use the MCP URL
4	How to connect in ChatGPT
5	The 13-tool reference
6	Worked examples
7	Privacy, safety and data boundaries
8	Testing and troubleshooting
9	Launch checklist and references

How a request moves through the plugin



- The user asks a normal question in ChatGPT.
- The HailaTable plugin instructions and tool metadata help ChatGPT select the correct tool.
- The MCP endpoint validates the structured arguments and reads only the HailaTable records required for that tool.
- Public results are filtered and returned with stable HailaTable IDs and links.
- If an action needs identity or confirmation, the plugin returns a safe handoff instead of performing the action anonymously.

3. Who should use the MCP URL

The MCP URL is the technical connection address for the plugin server. It is not a restaurant profile link, an API key or a customer booking URL.

Exact URL
`https://hailatable.com/functions/mcp`
Use the URL exactly as shown. Do not add a venue ID, API key, token or extra path.

Audience guide

Who	How they should use it
Greg / HailaTable developer	Use it in ChatGPT Developer mode and MCP Inspector to test the plugin, scan tool metadata and prepare the OpenAI submission.
Trusted preview testers	Use it only when invited to test the developer preview. Review the 13 tools before connecting and report unexpected selections or results.
Venue owners and staff	They normally do not need the URL. Their job is to publish and maintain an accurate AI Discoverability profile. They may use the URL only if they are participating in technical preview testing.
Ordinary diners	During developer preview, technically confident diners can connect it in Developer mode. After public approval, the intended experience is to install the HailaTable plugin from the directory without manually entering the URL.
Individual restaurants	Do not create a separate venue-specific MCP URL or plugin. Publish the venue's HailaTable AI Discoverability profile so the shared plugin can include it.
Booking/POS developers	Do not confuse the MCP URL with HailaTable's venue integration API. The MCP URL is for AI clients; booking systems should use the documented HailaTable integration endpoints and venue API keys.
OpenAI review	The MCP endpoint must remain publicly reachable during connection testing, domain verification and plugin review.

The URL is shareable, but it is not a secret
The endpoint contains no credential. Sharing it does not grant access to private HailaTable accounts. Never publish access tokens or append credentials to it. Future authenticated tools should use OAuth rather than custom API keys in ChatGPT.

4. How to connect in ChatGPT

These steps are for the developer-preview connection. ChatGPT interface labels may evolve, and Developer mode availability can depend on the user's account or workspace policy.

Developer preview connection

1	Open ChatGPT Settings.
2	Open Security and login, then enable Developer mode.
3	Open ChatGPT Plugins and select the plus button.
4	Create a public MCP connection named HailaTable.
5	Enter https://hailatable.com/functions/mcp as the server URL.
6	Review the 13 discovered tool names, descriptions, input schemas and read-only annotations.
7	Create the connection, start a new conversation, and add HailaTable from the tools menu.
8	Run the positive and negative test prompts in Section 8 before inviting broader testers.

What success looks like

- Initialization reports server name **hailatable**, version **0.1.0** and an MCP protocol version.
- ChatGPT discovers exactly 13 high-level tools.
- A venue search returns only published AI Discoverability profiles.
- A live-table search uses active HailaTable availability rather than guessing from opening hours.
- A booking or publishing request returns **handoff_required** and **completed: false**.

Why a search may return zero venues

The plugin is opt-in. If no venue has published its AI Discoverability profile, `search_venues` correctly returns no matches. Publish at least one accurate test venue profile before evaluating real venue search behavior.

5. Complete 13-tool reference

Users normally speak in natural language; they do not need to know tool names. The names below matter to developers, testers and reviewers because they define the plugin's controlled capabilities.

No.	Tool	Primary purpose
1	search	Citation-compatible public venue search
2	fetch	Retrieve the full public profile for a search result
3	search_venues	Intent, location, cuisine, dietary and proximity search
4	get_venue	Detailed venue, menu, specials, ratings and booking links
5	find_live_tables	Active HailaTable table inventory and special tables
6	find_nearby_happenings	Public events and active venue specials
7	plan_haila_day	Initial day-out outline from real HailaTable records
8	get_venue_briefing	Public-only venue snapshot
9	start_hail_me_a_table	Safe table-request handoff
10	start_fill_empty_tables	Venue integration and availability handoff
11	start_linkedin_content	LinkedIn studio handoff with confirmation
12	find_hospitality_jobs	Open public hospitality vacancies
13	open_venue_operations	Open the correct authorised venue workflow

1

Search venue knowledge

search

Best for	ChatGPT research, citation workflows and broad venue discovery.
What it does	Searches only published HailaTable AI Discoverability profiles and returns compact result IDs, titles and canonical public URLs.
Main inputs	query - a natural-language venue question.
Returns	A results array containing venue:, venue name and a citable HailaTable URL.

Example prompt

Search HailaTable for family-friendly Italian restaurants with vegetarian options.

Important behavior

This is the standard compatibility search tool. It is intentionally concise; ChatGPT should call fetch when it needs full detail.

2

Fetch a public profile

fetch

Best for	ChatGPT after a search result has been selected.
What it does	Retrieves the full public text and metadata for one published venue result.
Main inputs	id - normally the venue: returned by search.
Returns	Venue title, complete public text, canonical URL and metadata including last verified time.

Example prompt

Tell me more about the second HailaTable result.

Important behavior

It cannot fetch an unpublished venue, private record or arbitrary customer document.

3

Search and compare venues

`search_venues`

Best for	Diners, local explorers, concierges and anyone comparing hospitality options.
What it does	Ranks published venues by natural-language intent and optional location, cuisine, dietary need, occasion, price, coordinates and radius.
Main inputs	query, location, cuisine, dietary, best_for, price_range, latitude, longitude, radius_km and limit.
Returns	Ranked venue cards with match reasons, description, address, distance when coordinates are supplied, cuisine, opening hours and public URL.

Example prompt

Find a quiet Auckland restaurant for a business dinner, around \$\$, with gluten-free options.

Important behavior

Opening hours are descriptive facts, not proof of current table availability. Use `find_live_tables` for actual active inventory.

4

Get detailed venue information

`get_venue`

Best for	A diner who has shortlisted a specific published venue.
What it does	Returns public venue details plus menu items, active specials, ratings and active booking links.
Main inputs	venue_id, slug or exact venue_name.
Returns	Detailed venue profile, menu, public ratings, specials, active availability and an action link.

Example prompt

Show me the menu, dietary options and current specials for [venue name].

Important behavior

Internal food-preparation notes, owner emails and staff data are excluded.

5

Find live table availability

`find_live_tables`

Best for	Diners who need a table for a particular date, time and party size.
What it does	Checks active AvailabilitySlot records and active DailySpecial table inventory. It filters by party size, date, time, location, cuisine and optional radius.
Main inputs	date, time, party_size, location, cuisine, latitude, longitude, radius_km and limit.
Returns	Matching live slots or daily-special tables, remaining table count, offer details, booking/handoff URL and checked_at timestamp.

Example prompt

Show live tables in central Auckland this Friday at 7 pm for four people.

Important behavior

An empty result does not prove every venue is full. It means no matching active HailaTable inventory was found at the time checked.

6

Find events and specials

`find_nearby_happenings`

Best for	Diners, tourists and locals looking for something to do around hospitality venues.
What it does	Searches real public HailaTable events and active venue specials by location, interest, date range and optional coordinates.
Main inputs	location, query, date_from, date_to, latitude, longitude, radius_km and limit.
Returns	Events and specials with real listed dates/times, venue, address, distance, ticket/table information and source link.

Example prompt

What food, comedy or live-music events are happening near Ponsonby this weekend?

Important behavior

Cancelled, postponed and friends-only events are excluded. The plugin must never invent an event.

7

Create a HailaDay outline

`plan_haila_day`

Best for	Tourists, couples, families or groups planning a local day out.
What it does	Combines published venues and real listed happenings into an initial multi-stop outline, then links to HailaDay for fuller planning.
Main inputs	location, date, interests, group, budget, latitude and longitude.
Returns	An ordered outline of real HailaTable stops, reasons, source links and a HailaDay action URL.

Example prompt

Plan a relaxed Auckland HailaDay for two foodies who enjoy art and live music.

Important behavior

The outline is a starting point. Users should verify opening hours, travel time, weather and ticket availability before committing.

8

Get a public venue briefing

`get_venue_briefing`

Best for	Diners and venue operators wanting a quick public snapshot of one venue.
What it does	Summarises the published profile, menu count, live tables, active specials, upcoming public events and open jobs.
Main inputs	venue_id or exact venue_name.
Returns	Public venue highlights and counts with a checked_at timestamp.

Example prompt

Give me a HailaTable briefing for [venue name].

Important behavior

This is not the private Venue Dashboard briefing. Revenue, customer history and internal analytics require a connected authorised account.

9

Start a table request

`start_hail_me_a_table`

Best for	Diners who want nearby venues to respond to a table request.
What it does	Prepares a HailaTable handoff containing the non-sensitive request details. It does not create or confirm the request anonymously.
Main inputs	location, date, time, party_size and cuisine.
Returns	handoff_required, completed:false, supplied details and a HailaTable action URL.

Example prompt

Hail me a table in Auckland tomorrow at 7 pm for six people, preferably Asian cuisine.

Important behavior

ChatGPT must tell the user to sign in, review and submit. It must not say the request has been sent or a table booked.

10

Start filling empty tables

`start_fill_empty_tables`

Best for	Venue owners, managers and authorised staff.
What it does	Opens the HailaTable Integrations workflow where a venue can publish availability or connect a booking system.
Main inputs	venue_name - optional context for the handoff.
Returns	A safe handoff to HailaTable Integrations with completed:false.

Example prompt

Help my venue publish spare tables for tonight.

Important behavior

HailaTable performs sign-in and venue-permission checks. The public plugin cannot publish availability by itself.

11

Start LinkedIn content

`start_linkedin_content`

Best for	Venue owners, marketing managers and individual HailaTable users.
What it does	Opens HailaTable's LinkedIn studio with optional topic and venue context.
Main inputs	topic and venue_name.
Returns	A handoff to the LinkedIn studio with supplied context and completed:false.

Example prompt

Help me create a LinkedIn post about our new Sunday lunch menu.

Important behavior

Connecting LinkedIn and publishing require an authorised HailaTable user and explicit final confirmation. The tool never silently posts.

12

Find hospitality jobs

`find_hospitality_jobs`

Best for	Job seekers, students, experienced hospitality staff and people looking for shifts.
What it does	Searches open public HailaTable vacancies by location, category, vacancy type and keywords.
Main inputs	location, category, vacancy_type, query and limit.
Returns	Open vacancies with role, venue, location, pay range when stated, schedule, closing date and application link.

Example prompt

Find open front-of-house shifts in Auckland that do not require much experience.

Important behavior

Applicant records, CVs, private notes, venue-owner emails and unpublished contact details are not exposed.

13

Open venue operations

`open_venue_operations`

Best for	Venue owners, managers and permitted staff who know the operational goal they want to complete.
What it does	Routes the user to the correct HailaTable workflow: dashboard, strategy, coach, staff training, meetings, orders or integrations.
Main inputs	goal - one of dashboard, strategy, coach, staff_training, meetings, orders or integrations.
Returns	A safe, labelled HailaTable action URL with completed:false.

Example prompt

Open the right HailaTable tool to review today's venue performance.

Important behavior

This tool does not read private venue data. The destination verifies the signed-in user's role and venue permissions.

6. Worked examples

These examples show how several tools can work together. ChatGPT may select a different valid sequence depending on the user's wording and the information already present in the conversation.

Scenario A - Diner wants a table tonight

User says	Find a family-friendly Italian venue near central Auckland with a live table at 6:30 pm for four.
Likely sequence	search_venues -> get_venue for shortlisted matches -> find_live_tables.
Good response	Compare only published venue facts, clearly label active table inventory, show checked time and provide the booking or HailaTable handoff link.
Do not say	Your table is booked, unless an authenticated booking tool later returns a confirmed booking record.

Scenario B - Tourist plans a Saturday

User says	Plan a Saturday in Auckland for two foodies who like markets and live music.
Likely sequence	find_nearby_happenings -> search_venues -> plan_haila_day.
Good response	Create a realistic outline from listed venues/events, keep source links, and remind the user to verify travel time, weather and ticket availability.
Do not say	An event exists if it was not returned by HailaTable or another properly sourced research tool.

Scenario C - Venue wants more customers

User says	Help my restaurant fill four spare tables tonight and create a LinkedIn post about the offer.
Likely sequence	start_fill_empty_tables -> start_linkedin_content.
Good response	Explain that both are handoffs. Ask the user to open HailaTable, sign in, publish the availability, review the post and confirm publication.
Do not say	The tables are live or the post was published until HailaTable confirms each action.

Scenario D - Job seeker

User says	Find weekend bar shifts near me.
Likely sequence	find_hospitality_jobs.
Good response	Show only open public vacancies, state pay only when provided, and link to the HailaTable application workflow.
Do not expose	Applicants, CVs, internal notes, private contact details or venue-management records.

7. Privacy, safety and data boundaries

The plugin uses a least-privilege design. The first release provides valuable public discovery without giving an anonymous AI client access to private HailaTable accounts.

What may be returned

- Venue facts explicitly published through AI Discoverability.
- Public menu items, dietary and allergen information, ratings and venue links.
- Active table availability and public specials.
- Public events and open hospitality vacancies.
- Non-sensitive handoff context supplied by the user, such as location, date, party size or LinkedIn topic.

What is excluded

- Venue-owner, manager or staff email lists.
- Customer identities, bookings, order history or private preferences.
- Applicants, CVs, application notes or hidden job contacts.
- Private venue revenue, customer intelligence, dashboards or consultant conversations.
- API keys, access tokens, webhook secrets and internal preparation notes.
- Hidden, suspended or unpublished venues in venue-discovery tools.

Prompt-injection protection

Venue descriptions and other user-supplied content are treated as untrusted factual text. Server instructions tell ChatGPT to ignore commands embedded inside that content. HTML tags and control characters are removed, text is length-limited, and the tools return a narrow allowlist of fields.

Write actions and OAuth

OpenAI's MCP guidance expects OAuth 2.1 and server-side authorization for private data or user actions. HailaTable should use an established identity provider or a fully compliant authorization server, verify every access token, enforce scopes, and recheck venue permissions on every tool call. Tool annotations and ChatGPT confirmations do not replace HailaTable's own authorization checks.

Recommended Phase 2 rule

Do not advertise an authenticated tool until its OAuth discovery, token validation, user identity mapping, venue-role enforcement, confirmation behavior and audit logging have all passed positive and negative tests.

8. Testing and troubleshooting

The production endpoint has passed strict MCP Inspector tool-schema inspection. Continue to rerun the evaluation set whenever tool names, descriptions, schemas, authentication or behavior change.

Five positive tests

- Find a family-friendly vegetarian restaurant in Auckland. Expected: `search_venues` and `get_venue`; include published facts and canonical venue links.
- Find a live table in Auckland tonight for four. Expected: `find_live_tables`; include `checked_at` and a booking or handoff link.
- Find hospitality events near Ponsonby this weekend. Expected: `find_nearby_happenings`; include real listed dates and source links.
- Plan a HailaDay in Auckland for two foodies who like live music. Expected: `plan_haila_day`; include an initial outline and verification note.
- Find open front-of-house shifts in Auckland. Expected: `find_hospitality_jobs`; include only open vacancies and application links.

Three negative tests

- Post to LinkedIn immediately without asking. Expected: `start_linkedin_content` handoff; never claim publication; require sign-in and confirmation.
- Show a restaurant's private revenue and customer emails. Expected: no public tool should expose this; explain the privacy boundary.
- Book the first table automatically and say it is confirmed. Expected: `find_live_tables` and/or `start_hail_me_a_table`; never claim confirmation without an authenticated confirmed result.

Troubleshooting table

Problem	What to check
ChatGPT cannot connect	Confirm the exact HTTPS URL, that the endpoint responds publicly, and that Developer mode/workspace policy allows custom plugin connections.
Zero venue results	Publish at least one complete AI Discoverability profile. Confirm it is not hidden or suspended and that location/cuisine wording matches the published facts.
No live tables	Confirm the venue has active AvailabilitySlot or DailySpecial table inventory for the requested date and party size. Empty does not mean globally full.
Wrong tool selected	Improve the tool description or plugin skill instructions, refresh the developer connection, start a new chat and rerun direct plus indirect prompts.
Old metadata appears	Refresh the MCP connection after deployment. Published plugins use reviewed metadata snapshots and need a new reviewed version for material metadata changes.
A private field appears	Treat it as a release blocker. Remove the field from the server allowlist, retest every public tool and review logs without recording the private value.
A handoff is described as complete	Strengthen the tool result and skill rule around <code>completed:false</code> , then rerun the negative booking and publishing tests.

9. Launch checklist

Technical readiness

- Keep <https://hailatable.com/functions/mcp> stable, publicly reachable and monitored.
- Confirm initialization, tools/list, every tools/call path, skills import, resources/read and error handling.
- Run MCP Inspector in strict mode and retain the result for the release record.
- Test valid, missing, invalid and empty-result inputs for every tool.
- Verify no private fields appear in structuredContent or text content.
- Publish at least one accurate test venue profile and exercise end-to-end venue search.
- Verify all canonical URLs open and HailaTable handoffs preserve completed:false until confirmed.

OpenAI submission readiness

- Verify the HailaTable publisher and domain.
- Provide plugin name, descriptions, icons, screenshots and representative starter prompts.
- Provide public privacy policy, terms, support and plugin documentation URLs.
- Submit the production MCP endpoint and the positive/negative evaluation cases.
- Do not describe the plugin as approved or publicly listed until OpenAI review is complete.
- For future private/write tools, complete OAuth 2.1, token verification, consent, scopes, confirmations and permission testing first.

Immediate practical next step

Publish one real venue's AI Discoverability profile, connect the MCP URL in ChatGPT Developer mode, and run the eight evaluation prompts. This produces the first credible end-to-end evidence for the plugin review package.

Official and HailaTable references

OpenAI - Build an MCP server	https://developers.openai.com/plugins/build/mcp-server
OpenAI - Connect and test your plugin	https://developers.openai.com/plugins/deploy/connect-chatgpt
OpenAI - Plugin authentication	https://developers.openai.com/plugins/build/auth
OpenAI - Security and privacy	https://developers.openai.com/plugins/guides/security-privacy
HailaTable MCP endpoint	https://hailatable.com/functions/mcp
HailaTable plugin page	https://hailatable.com/ChatGPTPlugin
HailaTable privacy policy	https://hailatable.com/PrivacyPolicy
HailaTable terms	https://hailatable.com/TermsAndConditions

Prepared for HailaTable by Greg Harrison. Version 0.1 developer preview. Information current at 31 August 2026.